

Engineering Conferences International ECI Digital Archives

Electric Field Assisted Sintering and Related
Phenomena Far From Equilibrium

Proceedings

Winter 3-10-2016

Microstructure evolution in spark plasma sintered hafnium–tantalum carbides

Benjamin Boesl

Florida International University

Follow this and additional works at: http://dc.engconfintl.org/efa_sintering



Part of the [Engineering Commons](#)

Recommended Citation

Benjamin Boesl, "Microstructure evolution in spark plasma sintered hafnium–tantalum carbides" in "Electric Field Assisted Sintering and Related Phenomena Far From Equilibrium", Rishi Raj (University of Colorado at Boulder, USA) Thomas Tsakalakos (Rutgers University, USA) Eds, ECI Symposium Series, (2016). http://dc.engconfintl.org/efa_sintering/40

This Abstract is brought to you for free and open access by the Proceedings at ECI Digital Archives. It has been accepted for inclusion in Electric Field Assisted Sintering and Related Phenomena Far From Equilibrium by an authorized administrator of ECI Digital Archives. For more information, please contact franco@bepress.com.

Microstructure Evolution in Spark Plasma Sintered Hafnium-Tantalum Carbides

Cheng Zhang, Benjamin Boesl and Arvind Agarwal

Hafnium carbide and Tantalum carbide are ultrahigh temperature ceramics and possess superior oxidation resistance in oxygen rich and oxygen deficient environments respectively. This study focuses on synthesizing fully dense ceramic composites with 5 different compositions (Pure HfC, HfC-20 vol.% TaC, HfC- 50 vol.% TaC, TaC-20 vol.% HfC, and pure TaC) by spark plasma sintering without any sintering aids. A detailed analysis of the microstructural evolution with varying compositions is performed. *In situ* indentation at high load is carried out inside a SEM chamber to understand the deformation and cracking propagation mechanism in spark plasma sintered microstructure as a function of varying compositions. Preliminary findings of oxidation behavior of SPSed HfC-TaC compositions by exposing them to a high velocity plasma jet at temperature exceeding 2200°C are also reported.